

Nombre de cas de listérioses à L. monocytogenes déclarés par an en France de 1999 à 2019

	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
Nb de cas - France entière	269	263	188	220	209	236	221	290	319	276	328	312	282	346	369	373	413	375	371	339	373
Nb de cas - Métropole	254	257	173	206	196	220	204	268	307	265	320	305	274	339	364	363	408	368	359	334	360
Incidence - France entière ⁽¹⁾	4,5	4,3	3,1	3,6	3,4	3,8	3,5	4,6	5,0	4,3	5,1	4,8	4,3	5,3	5,6	5,6	6,2	5,6	5,1	5,6	5,6
Incidence - Métropole	4,3	4,4	2,9	3,5	3,3	3,6	4,4	5,0	4,3	5,1	4,9	4,3	5,3	5,7	5,7	6,4	5,7	5,6	5,2	5,6	5,6
Age, mediane, (min–max)	63 (7m–95)	63 (2m–95)	66 (1m–93)	59 (1m–96)	65 (3–96)	66 (2–103)	66 (1–96)	68 (2–94)	68 (8m–96)	71 (4–98)	67 (2m–102)	68 (2m–100)	72 (3–107)	71 (11–98)	70 (1–96)	71 (1m–95)	74 (7m–99)	76 (5–98)	76 (7m–98)	78 (11m–104)	76 (4m–99)
Sexe (% femme)	54%	52%	53%	57%	58%	53%	52%	52%	47%	49%	49%	49%	47%	49%	49%	47%	47%	49%	48%	47%	
Pathologies sous-jacentes	64%	65%	73%	67%	68%	75%	78%	81%	80%	81%	82%	83%	81%	76%	79%	80%	79%	81%	83%	83%	
Pathologies sous-jacentes (formes non-MN)	81%	84%	89%	84%	83%	90%	90%	90%	87%	90%	91%	89%	89%	85%	84%	85%	85%	85%	85%	89%	
Formes materno-néonatales	67	25%	64	24%	44	23%	55	25%	47	22%	49	21%	39	18%	36	12%	46	14%	35	12%	38
Nouveau-né vivant	43	64%	34	53%	29	66%	30	55%	30	64%	31	63%	19	49%	20	56%	25	54%	12	39%	31
Maternelle isolée	11	16%	9	14%	5	11%	6	11%	7	15%	5	10%	10	26%	6	17%	8	26%	5	14%	4
Avortement ⁽²⁾	8	12%	14	22%	5	11%	11	20%	5	11%	6	12%	6	15%	8	22%	6	13%	9	24%	4
Mort-né ⁽³⁾	5	8%	7	11%	5	11%	8	15%	5	11%	7	14%	4	10%	2	6%	7	18%	4	8%	8
Létalité foeto-néonatale ⁽⁴⁾	13	19%	21	33%	10	23%	19	35%	10	21%	13	27%	10	26%	10	28%	13	30%	9	26%	11
Formes non materno-néonatales	202	75%	199	76%	144	77%	165	75%	162	78%	187	79%	182	82%	254	88%	273	86%	245	89%	278
Age, mediane, (min–max)	69 (7m–95)	70 (2m–95)	71 (1m–93)	66 (1m–96)	70 (3–96)	71 (2–103)	70 (1–96)	71 (2–94)	71 (8m–96)	72 (4–98)	72 (2m–102)	73 (2m–100)	75 (3–107)	73 (1–96)	76 (1m–95)	76 (6m–99)	77 (5–98)	75 (7m–98)	79 (8m–104)	77 (4m–99)	
Décès, létalité (%)	47	23%	35	18%	46	32%	35	21%	47	17%	38	20%	41	17%	56	22%	39	16%	68	24%	51
Basées sur les décès	117	43%	105	40%	85	45%	93	40%	99	47%	104	51%	113	51%	159	55%	173	53%	169	54%	171
Décès, létalité (%)	29	25%	20	19%	29	34%	21	24%	19	19%	26	21%	20	18%	45	24%	27	17%	44	16%	34
Neuromeningées	70	26%	78	30%	51	27%	70	32%	55	26%	54	23%	62	28%	67	23%	70	25%	87	27%	78
Décès, létalité (%)	18	26%	14	18%	15	29%	11	16%	8	15%	11	20%	10	16%	12	18%	17	20%	10	14%	12
Autres	15	6%	15	6%	8	4%	8	4%	8	4%	9	4%	7	3%	18	6%	14	4%	17	6%	23
Décès, létalité (%)	8	53%	1	7%	2	25%	3	38%	3	38%	1	11%	1	14%	1	6%	1	7%	2	12%	1

⁽¹⁾: par million d'habitants⁽²⁾: mort *in utero* et terme de grossesse ≤ 22 SA⁽³⁾: mort *in utero* et terme de grossesse > 22 SA⁽⁴⁾: mort-nés + avortements